# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

THE COMMISSIONER OF Washington, D.C. 20231	PATENTS AND TRADEMARKS
In re the application of: For: Filed: Application No.: Art Unit:	Yung-fu Chang EHRLICHIA CANIS GENES AND VACCINES November 2, 2001
Attorney Docket No.:	CRF-2322 CIP
	INFORMATION DISCLOSURE STATEMENT
List of Se	ections Forming Part of This Information Disclosure Statement
The following sections are be	ing submitted for this information Disclosure Statement
1. [X] Preliminary Statemen	ts
2. [X] FORM PTO - 1449 (	Modified)
3. Statement As To Info	rmation Material To Examination Not Found in Patents or Publications
	Application In Which Listed Information Was Already Cited and For Which No Or Need Be Submitted.
5. Cumulative patents or	Publications
6. [X] Copies of Listed Infor	mation Items Accompanying This Statement
7. Concise Explanation o	f Non-English Language Listed Information Items.
8. Translation(s) of Non-	English Language Documents
9. Certification under MF	PEP 609(e)
10. [X] Identification of Person	on(s) Making This Information Disclosure Statement
[X] Express Mail No: EL 63  I hereby certify that this c requested in an envelope addressed	CERTIFICATE OF MAILING Date: 11/2/0 / orrespondence is being deposited with the United States Postal Service, return receipt to: Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this date.

Judy H. Barron

#### Section 1. Preliminary statements

Applicant submits herewith patents, publications or other information of which he is aware, which he believes may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR 1.56.

The filing of this information disclosure statement shall not be construed as a representation that a search has been made (37 CFR 1.56(g)), an admission that the information cited is, or is considered to be, material to patentability or that no other material information exists.

The filing of this information disclosure statement shall not be construed as an admission against interest in any manner. Notice of January 9, 1992, 1135 O.G. 13-25, at 25.

### Section 2. Form PTO - 1449 (Modified) (SEE ATTACHMENT)

- \*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw a line through citation if not in conformance or not considered. Include a copy of this form with the next communication to applicant.
- Section 3. Statement As To Information Material For Examination Not Found in Patents or Publications (Information not listed in PTO 1449)
- Section 4. Identification of Prior Application in Which Listed Information Was Already Cited and For Which No Copies Are Submitted Or Need Be Submitted

09/358,322 07/21/99 (ItemsAA-AC; AD-BN; BO-BS and BT-BW already submitten

Section 5. Cumulative Patents or Publications
Item(s) are cumulative of the following patents or publication listed on Form PTO 1449 (modified):
In accordance with 37 CFR 1.98(c) a copy of is being submitted with this information disclosure statement.
Section 6. Copies of Listed Information Items Accompanying This Statement
Legible copies of all items listed accompany this information statement.
Exception(s) to above:
☐ Items in prior application from which an earlier filing date is claimed for this application as identified in Section 4. ☐ Cumulative patents or publications identified in Section 5.
Section 7. Concise Explanation of Non-English Language Listed Information Items
Section 8. Translation(s) of Non-English Language Documents
Submitted herewith is an English translation of the following foreign language patents, publications or information or of those portions of those patents, publications or information considered to be material:  No English language translations of the foreign language patents, publications or information or

parts thereof are readily available, except for those listed above.

SL	The following foreign language documents submitted are believed to be the equivalent or ubstantial equivalent of the English language documents identified below, which are also submitted erewith.
Section 9	9. Certification under Rule 1.97
The	undersigned hereby certifies that:
a.	This Statement is being filed after the latest of (1) three months after the filing date of a national application; (2) three months after the date of entry of the national stage as set forth in w 1.491 in an international application; (3) the mailing date of a first Office action on the merits.
<b>b</b> .	The fee set forth in §1.17(p)
	☐ Is being paid with this Information Disclosure Statement
	<ul> <li>☐ Is not due because:</li> <li>☐ (1) Each item of information contained in the information disclosure statement was cited in a communication from a foreign-patent office in a counterpart foreign application not more than three months prior to the filing of the statement, or</li> <li>☐ (2) No item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application or, to the knowledge of the person signing the certification after making reasonable inquiry, was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the statement.</li> </ul>
Section 1	10. IDENTIFICATION OF PERSON(S) MAKING THIS INFORMATION DISCLOSURE STATEMENT
The person	on making this statement is
(8	a) the inventor(s) who signs below
(1)	the attorney who signs below on the basis of: the information supplied by the inventor(s) an individual associated with the filing and prosecution of this application (37 CFR 1.56(c)). [X] the information in the attorney's file
BROWN 400 M&' Ithaca, N Voice: (e-mail: b	her A. Michaels, Registration No. 34,390  We MICHAELS, PC  T Bank Building, 118 N. Tioga Street  New York 14850-4343  (607) 256-2000 Fax: (607) 256-3628  pm@bpmlegal.com
Custome	r number: 020808

# Section 2. Form PTO - 1449 (Modified) (ATTACHMENT)

page 1 of 5

FORM PTO-1449 U.S. DEPT. OF COMMERCE (Modified) PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO. CRF-2322	SERIAL NO.
	APPLICANT CHANG	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE 7/21/99	GROUP

## U.S. PATENT DOCUMENTS

Exam Initial	·	DOCUMENT NUMBER	DATE	PATENTEE	CLASS	SUB	FILING DATE IF APPROPR
	AA	5,192,679	3/9/93	Dawson, J.E. et al.	435	243	
	AB	5,401,656	3/28/95	Dawson, J.E.	435	243	·
	AC	5,413,931	5/9/95	Dawson, J.E.	435	252.1	
	A						

## FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Exam Initial		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB	TRANSLATION YES   NO
	Α						

Exam		Author, Title, Date, Pertinent Pages, Etc
Initial		
	AD	Althchul, S.F. et al, 1990, "Basic local aligment search tool", J. Mol. Biol. 215: 403-410.
	AE	Betsou, F. et al, 1995, "Cloning and sequence of the Bordetella bronchiseptica adenylate cyclase-hemolysin-encoding gene: comparison with the Bordetella pertussis gene", Gene 162: 165-166.
	AF	Breitschwerdt, E.B. et al, 1998, "Doxycycline hyclate treatment of experimental canine Ehrlichiosis followed by challenge inoculation with two Ehrlichia canis strains", Antimicrobial Agents and Chemotherapy 42(2): 362-368.
	AG	Chang, Y.F. et al, 1987, "Identification and characterization of the <i>Pasteurella haemolytica</i> Leukotoxin", Infect. Immun. 55: 2348-2354.
	AH	Chang, Y. F. et al, 1989a, "Secretion of the <i>Pasteurella</i> leukotoxin by E. coli", FEMS Microbiology Let. 60: 169-174.
	AI	Chang, Y. F. et al, 1989b, "Cloning and Characterization of a hemolysin gene from Actinobacillus (Haemophilus) pleuropneumoniae", DNA 8(9): 635-647.
	AJ	Chang, Y. F.et al, 1993a, "Molecular characterization of a leukotoxin gene from a <i>Pasteurella haemolytica</i> -like organism, encoding a new member of RTX family", Infect. Immun. 61:2089-2095.
	AK	Chang, Y.F. et al, 1993b, "Molecular analysis of the Actinobacillus pleuropneumoniae RTX toxin-III gene cluster", DNA and Cell Biol. 12: 351-362.
	AL	Chang, Y.F. et al, 1993c, "Expression and secretion of outer surface protein (OspA) of <i>Borrelia burgdorferi</i> from E. coli", FEMS Microbiol. Lett. 109: 297-302.
	AM	Chang, Y.F. et al, 1995, "Recombinant OspA protects dogs against infection and disease caused by <i>Borrelia burgdorferi</i> ", Infect. Immun. 63:3543-3549.
	AN	Dawson et al, 1991, "Serologic diagnosis of human Ehrlichiosis using two Ehrlichia canis isolates", Journal of Infectious Diseases 163: 564-567.
	AO	Degen, et al, 1986, "The human tissue plasminogen activator gene", Journal of Biological Chemistry 261(15): 6972-6985.

modified Pseudomonas exotoxin*, Proc. Natl. Acad. Sci. USA 90: 3530-3534.  AQ Dumler et al, 1992, "Gell-mediated immune responses of adults to vaccination, challenge with Rickettsia rickettsii, or both", Am. J. Trop. Med. Hyg 46(2): 105-115.  AR Goldman, L.A. et al, 1996, "Modifications of vectors pEr-BOS, pcDNA1 and pcDNA3 result in improved convenience and expression", BioTechniques 21: 1013-1015.  AS Guermoprez, P.D. et al, 1999, "Direct delivery of the Bordetella pertussis adenylate cyclase toxin to the MH class I antigen presentation pathway", J. Immunol. 162. 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines; current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keyary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Klimman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "Tecll epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium uberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikhisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding hig molecular-weight immunoreactive proteins"	AP	Donnelly et al, 1993, "Targeted delivery of peptide epitopes to class I major histocompatibility molecules by a
rickettsii, or both", Am. J. Trop. Med. Hyg 46(2): 105-115.  AR Goldman, L.A. et al, 1996, "Modifications of vectors pEF-BOS, pcDNA1 and pcDNA3 result in improved convenience and expression", BioTechniques 21: 1013-1015.  AS Guermonprez, P.D. et al, 1999, "Direct delivery of the Bordetella pertussis adenylate cyclase toxin to the MH class I antigen presentation pathway", J. Immunol. 162, 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vacciness, current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Arrow, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al., 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Klinman, D. M. et al., 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3667.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al., 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al., 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L. 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al. 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al. 1998, "PHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' P	Ar	modified Pseudomonas exotoxin", Proc. Natl. Acad. Sci. USA 90: 3530-3534.
AR Goldman, L. A. et al. 1996, "Modifications of vectors pEF-BOS, pcDNA1 and pcDNA3 result in improved convenience and expression", BioTechniques 21: 1013-1015.  AS Guermonprez, P.D. et al. 1999, "Direct delivery of the Bordetella pertussis adenylate cyclase toxin to the MH class I antigen presentation pathway", J. Immunol. 162. 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines-current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Vecterinary Parasitology 62: 331-340.  AW Klinman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs". Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "PHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Story, J.R. et al 1999, "High efficiency	AQ	Dumler et al, 1992, "Cell-mediated immune responses of adults to vaccination, challenge with Rickettsia
convenience and expression", BioTechniques 21: 1013-1015.  AS Guermonprez, P.D. et al, 1999, "Direct delivery of the Bordetella pertussis adenylate cyclase toxin to the MH class I antigen presentation pathway", J. Immunol. 162. 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines, current status, problems and future prospects", Vaccine 13(4): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichia DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Klinman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy". Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs". Infection and Immunity 67(5): 2665-2670.  AZ Nika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikhisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign pripope to CD8* cytoxic T Cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding high molecular-weight immunoreactive protei		rickettsii, or both", Am. J. Trop. Med. Hyg 46(2): 105-115.
AS Guermoprez, P.D. et al. 1999, "Direct delivery of the Bordetella pertussis adenylate cyclase toxin to the MH class I antigen presentation pathway", J. Immunol. 162. 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines; current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Klimman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihias et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L. 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P, C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8" cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "PHG165: A pB8322 copy number derivation of pUC8 for cloning and expression" Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding hig molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uestuk	AR	Goldman, L.A. et al, 1996, "Modifications of vectors pEF-BOS, pcDNA1 and pcDNA3 result in improved
class I antigen presentation pathway", J. Immunol. 162. 1910-1916.  AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines- current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Kilmman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding himolecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1999, "Bigh efficiency gene replacement in Salmonella entertitidis: chimeric fimbrins containing a T-cel		convenience and expression", BioTechniques 21: 1013-1015.
AT Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines; current status, problems and future prospects", Vaccine 13(14): 1263-1276.  AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.  AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Klimman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikhisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G. S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1a", Journal of Biological Chemistry 264(10): 5791-5798.  BG W	AS	Guermonprez, P.D. et al, 1999, "Direct delivery of the <i>Bordetella pertussis</i> adenylate cyclase toxin to the MHC
<ul> <li>AU Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia canis", Journal of Clinical Microbiology 36(1): 73-76.</li> <li>AV Keysary et al., 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.</li> <li>AW Klinman, D. M. et al., 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.</li> <li>AX Launois et al., 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.</li> <li>AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.</li> <li>AZ Nyika, A. et al., 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.</li> <li>BA Rikhisa et al., 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinicial Microbiology 30(1): 143-148.</li> <li>BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.</li> <li>BC Sebo, P. C. et al., 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8" cytotoxic T cells", Infect. Immun. 63:3851-3857.</li> <li>BDD Stewart, G.S. et al., 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.</li> <li>BE Stovey, J.R. et al. 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding himolecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al., 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1e", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al., 1997, "Comparison of</li></ul>	AT	Gupta, R.K. and Siber, G.R., 1995, "Adjuvants for human vaccines-current status, problems and future
AV Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in Israel", Veterinary Parasitology 62: 331-340.  AW Kilmman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.  AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nikia, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P, C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "PHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1c", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlichia canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric f	AU	Harrus, et al., 1998, "Amplification of Ehrlichial DNA from dogs 34 months after infection with Ehrlichia
Israel**, Veterinary Parasitology 62: 331-340.   AW Kilmman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.   AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.   AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.   AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.   BA Rikthisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.   BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.   BC Sebo, P., C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.   BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC3 for cloning and expression* Plasmid 15:172-186.   BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.   BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1c2", Journal of Biological Chemistry 264(10): 5791-5798.   BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.   BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella entertitidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.   BI Vyuk, M.H. et a		canis", Journal of Clinical Microbiology 36(1): 73-76.
<ul> <li>AW Klinman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.</li> <li>AX Launois et al, 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in tuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.</li> <li>AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.</li> <li>AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.</li> <li>BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.</li> <li>BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.</li> <li>BC Sebo, P., C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.</li> <li>BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.</li> <li>BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a</li></ul>	AV	Keysary et al, 1996, "The first isolation, in vitro propagation, and genetic characterization of Ehrlichia canis in
AX Launois et al., 1994, "T-cell epitope mapping of the major secreted myobacterial antigen Ag85A in fuberculos and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al., 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al., 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997. "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al., 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al., 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al. 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al., 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1o.", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al., 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al., 1998, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al., 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiolo, 28:945-959.  BJ Cot		Israel", Veterinary Parasitology 62: 331-340.
and leprosy", Infection and Immunity 62(9): 3679-3687.  AY Lee, B. and Horwitz, M.A, 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs", Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1c", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlict canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BygAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BygAS-mediated signal transduction: analysis of phase-locked regulate mutants of Bordetel	AW	Klinman, D. M. et al, 1997, "CpG motifs as immune adjuvants", Vaccine. 17:19-25.
AY Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of Myobacterium tuberculosis in outbred guinea pigs". Infection and Immunity 67(5): 2665-2670.  AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1a", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonebla enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulate mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62	AX	and leprosy" Infection and Immunity 62(9): 3679-3687.
AZ Nyika, A. et al, 1998, "A DNA vaccine protects mice against the rickettsial agent Cowdria ruminantium", Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L. 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulato mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1994, "Identificat	AY	Lee, B. and Horwitz, M.A., 1999, "T-cell epitope mapping of the three most abundant extracellular proteins of
Parasite Immunol. 20:111-119.  BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1336-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1\alpha", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulato mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3331-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, "NA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Pr	17	Myobacterium tuberculosis in outored guinea pigs , infection and infiniting 57(5): 2555 2575.
BA Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of Clinical Microbiology 30(1): 143-148.  BB Robinson, H.L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.  BC Sebo, P. C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.  BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.  BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11	AZ	Parasite Immunol. 20:111-119.
<ul> <li>Clinical Microbiology 30(1): 143-148.</li> <li>BB Robinson, H. L., 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.</li> <li>Sebo, P., C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.</li> <li>BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.</li> <li>BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding hig molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulate mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM G</li></ul>	BA	Rikihisa et al, 1992, "Analyses of Ehrlichia canis and a canine granulocytic Ehrlichia infection", Journal of
<ul> <li>BC Sebo, P, C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.</li> <li>BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.</li> <li>BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella entertidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM Gish, W. et al, 1994, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.</li> <li>BN Chen et al, 19</li></ul>		Clinical Microbiology 30(1): 143-148.
<ul> <li>BC Sebo, P, C. et al, 1995, "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis allows in vitro presentation of a foreign epitope to CD8* cytotoxic T cells", Infect. Immun. 63:3851-3857.</li> <li>BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression' Plasmid 15:172-186.</li> <li>BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella entertidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM Gish, W. et al, 1994, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.</li> <li>BN Chen et al, 19</li></ul>	BB	Robinson, H.L, 1997, "Nucleic acid vaccines: an overview", Vaccine 15(8): 785-787.
<ul> <li>BD Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression Plasmid 15:172-186.</li> <li>BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.</li> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulato mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM Gish, W. et al, 1994, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.</li> <li>BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.</li> </ul>		Seho, P. C. et al. 1995. "Cell-invasive activity of epitope-tagged adenylate cyclase of Bordetella pertussis
BE Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding his molecular-weight immunoreactive proteins", Infection and Immunity 66(4): 1356-1363.  BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1a", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8 + T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BD	Stewart, G.S. et al, 1986, "pHG165: A pBR322 copy number derivation of pUC8 for cloning and expression",
<ul> <li>BF Uetsuki et al, 1989, "Isolation and characterization of the human chromosomal gene for polypeptide chain elongation factor-1α", Journal of Biological Chemistry 264(10): 5791-5798.</li> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulato mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.</li> <li>BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.</li> </ul>	BE	Storey, J.R. et al 1998, "Molecular cloning and sequencing of three granulocytic Ehrlichia genes encoding high
elongation factor-1a", Journal of Biological Chemistry 264(10): 5791-5798.  BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.  BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8 + T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	DE	Herewij et al. 1989 "Isolation and characterization of the human chromosomal gene for polypeptide chain
<ul> <li>BG Wen et al, 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlich canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 35(7): 1852-1855.</li> <li>BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.</li> <li>BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.</li> <li>BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.</li> <li>BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.</li> <li>BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.</li> <li>BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.</li> <li>BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.</li> </ul>	BI	elementian factor 1a" Journal of Biological Chemistry 264(10): 5791-5798.
BH White, A. P. et al, 1999, "High efficiency gene replacement in Salmonella enteritidis: chimeric fimbrins containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulato mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BG	Wen et al. 1997, "Comparison of nested PCR with immunofluorescent-antibody assay for detection of Ehrlichic
containing a T-cell epitope from Leishmania major", Vaccine 17: 2150-2161.  BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.		canis infection in dogs treated with doxycycline", Journal of Clinical Microbiology 55(7): 1652-1655.
BI Yuk, M.H. et al, 1998, "The BvgAS virulence control system regulates type III secretion in Bordetella bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BH	White, A. P. et al., 1999, "High efficiency gene replacement in Samonena entertidis." Chimieric limbrius
bronchiseptica", Mol. Microbiol. 28:945-959.  BJ Cotter, P.A. and Miller, J.F., 1994, "BvgAS-mediated signal transduction: analysis of phase-locked regulator mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations "Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.		containing a 1-cell epitope from Leisiniania major, vaccine 17. 2150-2101.
mutants of Bordetella bronchiseptica in a rabbit model", Infect. Immun. 62: 3381-3390.  BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BI	branchisentica". Mol. Microbiol. 28:945-959.
BK Fayolle et al, 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BJ	Cotter, P.A. and Miller, J.F., 1994, "BygAS-mediated signal transduction: analysis of phase-locked regulator
pertussis carrying viral CD8 + T cell epitopes", J. Immun. 156:4697-4706.  BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al,1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	RK	Favolle et al. 1996, "In vivo induction of CTL responses by recombinant adenylate cyclase of Bordetella
BL Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun inoculations" Proc. Natl Acad. Sci USA 90:11478-11482.  BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.		pertussis carrying viral CD8+ T cell epitopes", J. Immun. 156:4697-4706.
BM Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 2 272.  BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BL	Fynan et al, 1993, DNA Vaccines: protective immunizations by parenteral, mucosal and gene-gun
BN Chen et al, 1994, "Identification of the antigenic constituents of Ehrlichia chaffeensis", Am. J. Tropic. Med. Hyg. 50: 52-58.	BM	Gish, W. et al, 1993, "Identification of protein coding regions by database similarity", Natural Genetics 13: 26
Hyg. 50: 52-58.		272.
	BN	
	XAMINER	

fion 2. Form PTO - 1449 (Modified) (ATTACHMENT)

page 3 of 5

FORM PTO-1449 U.S. DEPT. OF COMMERCE (Modified) PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO. CRF-2322	SERIAL NO. 09/358,322
(tylodified) PATENT AND TREBENEZICE	APPLICANT Chang	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE 7/21/99	GROUP 1633

# U.S. PATENT DOCUMENTS

Ititidi	FILING DATE IF APPROPR	SUB	CLASS	PATENTEE	DATE	DOCUMENT NUMBER		Exam Initial
							iai	IIIIII

# FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Exam Initial		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB	TRANSLATION YES   NO
	BO	WO 98 42743 A	10/1/98	Ешгоре			
	BP	WO 98 16554 A	4/23/98	US			
	BQ	WO 99 13720 A	3/25/99	US			
						_	

	Author, Title, Date, Pertinent Pages, Etc
BR	Waghela, S.D. et al, 1991, "A cloned DNA probe identified Cowdria ruminantium in Amblyomma variegatum ticks", Jnl of Clinical Microbiology, vol. 29, n. 11, pgs 2571-2577
BS	EMBL, Heidelberg, Germany; I40883, August 16, 1996, Abstract
ER _	DATE CONSIDERED
	BS

FORM PTO-1449 U.S. DEPT. OF COMMERCE (Modified) PATENT AND TRADEMARK OFFICE	ATTY DOCKET NO. CRF-2322	SERIAL NO. 09/358,322
-	APPLICANT Chang	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE 7/21/99	GROUP 1632

## U.S. PATENT DOCUMENTS

Exam Initial		DOCUMENT NUMBER	DATE	PATENTEE	CLASS	SUB	FILING DATE IF APPROPR
	Α						
	Α						
	Α				•		
	A						

# FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION

Exam Initial		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB	TRANSLATION YES   NO
	A						
	Α			·			
	Α						

Exam		Author, Title, Date, Pertinent Pages, Etc					
Initial							
I	ВТ	Frelberg, C. et al, 1997, Molecular basis of symbiosis between <i>Rhizobum</i> and legumes", Nature, Vol 387, pp 384-401					
I	BU	Springer, A. et al, 1996, Characterization and Nucleotide Sequence of pqqE and pqqF in <i>Methlobacterium</i> extorguens AM1, Journal of Bacteriology, pp 2154-2157.					
I	BV	DATABASE EMPRO1, Yamane, K. et al, 1997, "The 25 degrees region of the Bacillus subtilis chromosome determination of the sequence of a 146kb segment and identification of 113 genes", 1 page.					
I	BW	DATABASE EMPRO1, Andersson, S.G. et al, 1998, "The genome of sequence of Rickettsia prowazekii and the origin of mitochondria", 1 page.					
EXAMINE	R	DATE CONSIDERED					

# Section 2. Form PTO - 1449 (Modified) (ATTACHMENT)

Page 5 of 5

FORM PTO-1449 U.S. DEPT. OF COMMERCE	ATTY DOCKET NO.	SERIAL NO.
(Modified) PATENT AND TRADEMARK OFFICE	CRF-2322 CIP	1.0.
	APPLICANT	
<i>;</i>	Chang	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE	GROUP
	11-2-01	

### **U.S. PATENT DOCUMENTS**

Exam Initial		DOCUMENT NUMBER	DATE	PATENTEE	CLASS	SUB	FILING DATE IF APPROPR
	CA	6,043,085	03/28/00	Yu, et al	435		
ļ						,	
<u> </u>						Material Control	
L	<u> </u>	·					

### FOREIGN PATENT-OR-PUBLISHED FOREIGN PATENT APPLICATION

Exam Initial		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB	TRANSLATION YES   NO
	-	-					

Exam		Author, Title, Date, Pertinent Pages, Etc				
<b>Initial</b>						
	СВ	Appel, M.J. et al, 1993, Experimental Lyme Disease in Dogs Produces Arthritis and Persistent Infection; Jnl of Infectious Diseases, 167, pp 651-654.				
	CC	Chang, Y. et al, 1998; Detection of human granulocytic ehrlichiosis agent and <i>Borrelia burgdorferi</i> in ticks by polymerase chain reaction, J. Vet. Diagn Invest.; 10, pp 56-59.				
	CD	Chang, Y. et al, 1998, Experimental infection of the human granulocytic ehrlichiosis agent in horses; Veterinary Para.; 78, ppp. 137-145.  Chang, Y. et al, 1995, Recombinant OspA protects Dogs against Infection and Disease Caused by <i>Borrelia burgdorferi</i> ; Infection and Innunity, pp. 3543-3549.				
	CE					
	CF	Altschul, S. et al; Results of Blast; http://www.ncbi.nlm.nih.gov/blast/Blast.cgi, 9-14-01, 40 pages.				
EXAMIN	<b>VER</b>	DATE CONSIDERED				